



ADDING DRIVERS TO PERSYSTENT PE BOOT IMAGE

Planning Process


There are times when Persysent PE Boot Image will not have drivers necessary to communicate with the Persysent Server or drivers necessary to access the hard drive of the machine. This document will help you add drivers to Persysent PE boot image. Here are the requirements to add drivers to Persysent PE Boot Image:

- Drivers must be downloaded in extracted form.

Adding Drivers to Persysent PE Boot Image

Here are the steps to add drivers to Persysent PE boot image:

1. Download and extract the drivers on the Persysent Server.
2. Copy the extracted drivers to **C:\Program Files\Utopic Software\Server\PE Builder\Drivers** folder.
3. Run **Persysent.PEBuilder.exe** as an administrator from **C:\Program Files\Utopic Software\Server\PE Builder**.



4. Click the **Update** button to update the settings.
5. Click **OK** on the success dialog.
6. Ensure the **Persystent Server IP Address/Name** field contains the correct IP address of the Persystent server. If necessary, enter the correct IP address.
7. Ensure the **Persystent Server Port** field contains the correct port configured during installation. If necessary, enter the correct port.
8. In the Platform section ensure that the **x64** option is selected.

NOTE The x64 PE image works for both 32bit and 64 bit versions of Windows. There is no need to create both types. Only the x64 version of the image needs to be created.

9. Click **Create**.
10. The PE image is being created. This may take some time, wait for it to finish.
11. Click **OK**.
12. PE Image is updated with the drivers. You will need to recreate Persystent bootable USB, CD or DVD if you are using it to boot computers to Persystent. If you are using PXE boot then follow the steps in the next section to update Persystent Boot Image in Windows Deployment Service.

Update Persystent Boot Image in Windows Deployment Services

Windows Deployment Services (WDS) is used to answer PXE requests. The Persystent PE image needs to be updated to the WDS server. The server also needs to be configured to answer the PXE requests. Perform the steps below to configure WDS.


Update Boot Image to Windows Deployment Services

1. Launch Windows Deployment Services.
2. In the left pane expand **Servers**, expand the current server, and select the **Boot Images** folder.
3. Delete the current Persystent boot image if exists.
4. Right click the **Boot Images** folder and select **Add Boot Image**.
5. In the **Add Image Wizard** click **Browse**:
 - a. Browse to: **C:\Program Files\Utopic Software\Server\x64**.
 - b. Select the **pewim.wim** image and click **Open**.
 - c. Click **Next**.
 - d. Change the **Image name** and **Image description** to **Persystent PE (x64)**, and then click **Next**.
 - e. Click **Next**, then click **Finish**.

Configure Windows Deployment Services

Windows Deployment Services should be configured to answer all computers (known and unknown) for PXE boot. To perform this:

1. Launch Windows Deployment Services.
2. In the left pane expand **Servers** and right click on the desired server and select **Properties**.
3. Select the **Boot** tab.
4. Check the option **Always continue the PXE boot** for **Known clients** and **Unknown clients**.
5. (Optional) You can select Persistent Boot image as default image for “**x64 architecture**” and “**x64 (UEFI) architecture**”.



6. Click **Apply** then **OK**.
7. Now the Persistent Server is configured to answer all PXE requests.

Driver Packs

HP and Dell offer driver packs that contain all of the necessary drivers for various computer models for Windows PE environment. These driver packs are offered as exe or cab files. These drivers are used when some of the models are not able to communicate or do not have necessary drivers.

- HP: http://ftp.hp.com/pub/caps-softpaq/cmit/HP_WinPE_DriverPack.html
- Dell: <http://en.community.dell.com/techcenter/enterprise-client/w/wiki/11530.winpe-10-driver-pack>

UTOPIC

Utopic Software
1215 E 6th Avenue
Tampa, FL 33605

813.444.2231

support@utopicsoftware.com

Copyright © 2017 Utopic Software.

All rights reserved. Printed in the United States of America.

Information in this document is subject to change without notice. Persysent Software makes no warranties, express, implied, or statutory, as to the information in this document. This document contains proprietary information protected by copyright. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, without written permission of Utopic Software, 1215 E 6th Avenue, Tampa, FL 33605, except as specified in the Product Warranty and License Terms.

Persysent[®] Suite logos are registered trademarks; Persysent Suite is a trademark of Persysent Software.

Microsoft, Windows Server 2012, Windows Server 2008, Windows Server 2003, Windows XP, Windows Vista, Windows 7, Windows 8/8.1, Active Directory, SQL Server, SQL Express, and .NET are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

All other registered trademarks and service marks mentioned are the property of their respective owners.