



Persystent Suite 6.0

CHANGING PASSWORD OF A USER CONFIGURED FOR PERSYSTENT

Overview

It is recommended to use service account credentials for used for Persystent Server configuration. In the event of password is changed then this password needs to be updated in Persystent so that everything is functional.

Changing password of Persystent Repository Service

Here are the steps to update the password of Persystent Repository Service:

- 1. Launch **SERVICES.MSC** on the Persystent Server.
- 2. Stop Persystent Repository Service if its already started.
- 3. Double click on Persystent Repository Service.

🔍 Services						-	\times
File Action View	/ Help						
♦ ♦ 🗖 🗉	Q 📑 🛛 🖬 🕨 🖬 🕪						
🔍 Services (Local)	O. Services (Local)						
	Persystent Repository Service	Name	Description	Status	Startup Type	Log On As	^
	Stop the service Restart the service Description: Provides centralized imaging, backup and restore services to client machines	Network Location Awareness Network Store Interface Ser NVIDIA Diplay Container LS NVIDIA NetworkService Co NVIDIA NetworkService Co NVIDIA Telemetry Container NVIDIA Telemetry Container Offline Files Payments and NFC/SE Man Peer Networking Grouping Peer Networking Grouping Peer Networking Glenthy ML Peer Networking Identhy ML	Collects an The Networ This service Container s Container s Container s Container s The Offline Helps the c Enables pa Enables serv Enables rem Provides ide	Running Running Running Running	Automatic Manual (Trig Automatic Manual Manual Automatic Manual (Trig Manual (Trig Manual Manual Manual Manual	Network S Local Syste Local Syste Local Syste Network S Local Syste Local Syste Local Syste Local Service Local Service Local Service Local Service	
	Standad (Standard /	Performance Logs & Alerts Persystem Repository Service Phone Service Phone Service Plug and Play Pug And Play Portable Device Enumerator Portable Device Enumerator Power Print Spooler	Performanc Provides ce Manages th Enables a c This service Enforces gr Manages p This service	Running Running Running Running	Manual Automatic Manual (Trig Manual Manual Manual (Trig Automatic Automatic	Local Service .\dpatel Local Service Local Syste Local Syste Local Syste Local Syste Local Syste	

4. Click on the **Logon** tab.





TECHNICAL BRIEF

Persysten	t Reposit	ory Service P	roperties (Lo	cal Comput	er)	×
General	Log On	Recovery	Dependencies			
Service	name:	Persystent R	lepository Serv	ice		
Display	name:	Persystent R	epository Serv	ice		
Descript	ion:	Provides cer services to c	ntralized imagir client machines	ng, backup ar s	nd restore	\sim
Path to "C:\Use	executabl rs\dpatel	e: \source\Work	spaces\Persys	stent\Persyste	ent.Repositor	ySe
Startup	type:	Automatic				\sim
Service	status:	Running				
S	tart	Stop	P	ause	Resume	
You car from her	n specify t re.	he start param	eters that appl	y when you s	tart the servio	ce
Start pa	rameters:					
		[ОК	Cancel	Ap	ply

5. Update the username and password and then click **Apply**.

ieneral	Log On	Recove	rv Depen	dencies		
	-		., seper			
Log on	as:					
	al System	account				
	Allow servi	ce to inter	ract with de	esktop		
This	account:	Γ	Jtopic\Adm	ninistrator]	Browse
0						5101130
Pas	sword:			•••••		
Con	firm passw	ord:			•	
		L				

6. On the confirmation screen, click **OK**.





7. Start Persystent Repository Service.

Changing password for Web Console in IIS

Here are the steps to update password for Web Console in IIS:

- 1. Open IIS Manager.
- 2. Expand Sites.
- 3. Expand Default Web Site.
- 4. Select PtcWeb.
- 5. Double click on Authentication icon under IIS section on the right side.



6. Right click on Anonymous Authentication and select Edit.





TECHNICAL BRIEF

💐 Internet Information Services (IIS) N	Manager				- 🗆 X
(← →) DESKTOP-R0P7Q4A → Sites → Default Web Site → PtcWeb →					😰 🖂 🏠 🔞 -
File View Help					
Connections	Authentication	Actions Disable			
DESKTOP-R0P7Q4A (DESKTOP	Group by: No Grouping -	Edit			
v Sites	Name	Status	Response Type	Help	
O Default Web Site > - aspnet_client > - PtcWeb	Anonymour Authentication ASP.NET Forms Au @ Help	Enabled Enabled Disabled	HTTP 302 Login/Redirect		
Configuration: 'localhost' applicationH	ost.config , <location path="Default W</td><td>/eb Site/PtcWeb"></location>			€ 1.:	

7. Click on **Set...** button to update the username and password.

Edit Anonymous Authentication Credentials	? ×	
Anonymous user identity:		
Specific <u>u</u> ser:		
dpatel	<u>S</u> et	
○ Application pool identity		
ОК	Cancel	

8. Enter updated credentials and then click **OK**.

Set Credentials	?	×
<u>U</u> ser name:		
Utopic\Administrator		
Password:		
•••••		
<u>C</u> onfirm password:		
•••••		
ОК	Cancel	

9. Click **OK**.





10. Restart World Wide Web Publishing Service in Windows services.

www.utopicsoftware.com 813.444.2231



Self-Heal • Image • Secure Wipe



TECHNICAL BRIEF

UTOPIC

Utopic Software 1215 E 6th Avenue Tampa, FL 33605

813.444.2231

support@utopicsoftware.com

Copyright © 2018 Utopic Software. All rights reserved. Printed in the United States of America.

Information in this document is subject to change without notice. Persystent Software makes no warranties, express, implied, or statutory, as to the information in this document. This document contains proprietary information protected by copyright. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, without written permission of Utopic Software, 1215 E 6th Avenue, Tampa, FL 33605, except as specified in the Product Warranty and License Terms.

Persystent[®] Suite logos are registered trademarks; Persystent Suite is a trademark of Persystent Software.

Microsoft, Windows Server 2012, Windows Server 2008, Windows Server 2003, Windows XP, Windows Vista, Windows 7, Windows 8/8.1, Active Directory, SQL Server, SQL Express, and .NET are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries.

All other registered trademarks and service marks mentioned are the property of their respective owners.

